



KLONDIKE®

WE GROW INDEPENDENT BUSINESS



Heavy Duty Engine Oils	9
Automotive Engine Oils	15
Gear Lubricants	23
Transmission Fluids	29
Hydraulic Fluids	37
Industrial & Functional Fluids	45
Greases	53
Biodegradable Lubricants	59
FOOD-GRADE Lubricants	63
Antifreeze/Chemicals/Accessories	67





The KLONDIKE Story

The company started in 1987 as a chemical and lubricants supplier to the OEM Dealer Networks and professional service and repair facilities throughout Canada. Known by a demanding customer base for our dedication to quality and outstanding service, we earned a great amount of trust and confidence by providing solutions to a broad range of industries. This led to a rapid level of growth that would be exemplary in today's marketplace.


Throughout the late 80's and early 90's we maintained a high level of service while meeting the ever-expanding technical requirements in the chemical and lubrication industry. As distribution requirements increased throughout the late 90's and early 2000's, we expanded our warehousing and delivery capacity to answer the wide-ranging and specialized needs of the marketplace throughout Canada.

In 2009 we used this knowledge and expertise to capitalize on a once in a lifetime challenge known as the 'Mountain Pine Beetle Epidemic'. This catastrophe was wide ranging in its destruction and infected many forests along the west coast of Canada. Millions of hectares of infected trees had to be removed quickly throughout the mountainous terrain, one of the most extreme climates in this region of the world. Contractors tasked with the harvest were faced with a host of unexpected problems. In addition to extreme weather conditions this softwood species was dead and extremely dry. Continuously warping bars and chains due to lack of moisture and extraordinarily high frictional temperatures made for a difficult and costly cutting operation. Traditional chain oil blends were not up to the rigorous needs of the immense operation at hand. The advanced viscosity requirements formulated by our technical team and other global technical experts gave birth to KLONDIKE – BRAVING THE FORCE OF MOVEMENT.



Introducing a New Generation Of **nano** Spray Lubricants

KLONDIKE nano Spray Grease and KLONDIKE nano Chain & Cable Lubricant are new cutting-edge formulations incorporating proprietary nanotechnology for unmatched antiwear and extreme pressure protection.



KLONDIKE nano Spray Grease

- ✓ Superior Cling
- ✓ Solidifies Quickly
- ✓ High Film Strength

KLONDIKE nano Chain & Cable Lubricant

- ✓ Superior Cling
- ✓ Outstanding Friction Reduction
- ✓ Rust & Corrosion Resistant

**ENGINEERED
WITH**

NANOTECHNOLOGY

Shift into Superior Performance: Introducing KLONDIKE AMT Fluids

KLONDIKE's Automated Manual Transmission (AMT) Fluids are specialized lubricants designed to meet the unique requirements of automated manual transmissions, which combine aspects of manual and automatic transmissions.

An AMT system uses a traditional manual gearbox but incorporates an electro-hydraulic or electronic control system to automate the clutch operation and gear shifting. This eliminates the need for a clutch pedal while providing the efficiency of a manual transmission.



Maximize Durability in Extreme Conditions With KLONDIKE MOLY TAC HD 5%

KLONDIKE MOLY TAC HD 5% EP-2 Calcium Sulfonate Complex Grease is an advanced heavy-duty grease formulated for superior lubrication across a wide range of temperatures. Its unique composition, which includes 5% molybdenum disulfide, ensures enhanced protection against sliding friction and wear, making it ideal for extreme operating conditions.

KLONDIKE MOLY TAC HD 5% is versatile, ideal for various heavy-duty applications where superior lubrication and protection against wear and extreme conditions are essential.



KLONDIKE **heavy duty** engine oils are formulated to assist in maximizing engine life and minimizing wear. Our advanced processes and technologies enable KLONDIKE heavy duty motor oils to strike a balance between durability, emission control, optimized drain intervals, and improved efficiencies for your equipment.

KLONDIKE **API CK-4** heavy duty engine oils are a direct successor and replacement for API CJ-4 fluid technology. API CK-4 fluids are fully backwards compatible and supersede CJ-4 and previous service categories. KLONDIKE API CK-4 fluids offer improvements in fuel efficiency, oxidation resistance, viscosity shear stability, and aeration control over the previous fluid technologies. KLONDIKE heavy duty oils have been approved by global OEM's, including:



Heavy Duty Engine Oils



= Conventional



= Synthetic Blend



= Full Synthetic



10W-30

PROFESSIONAL

SAE 10W-30 CK-4 Professional Formula is a high performance mixed fleet engine oil; designed for use in modern diesel engines in on-road and off-road heavy-duty equipment.



TOTE

KL-HD0295



BULK

KL-HD0299

Price:



10W-30

SAE 10W-30 CK-4 Synthetic Blend is OEM certified by Cummins, Detroit Diesel, Volvo, Mack, Ford, and Renault; and recommended for use in all engines specifying API CK-4 Service Category and SAE 10W-30.



5 QUART

KL-HD0360



PAIL

KL-HD0380



EZE-KEG

KL-HD0384



DRUM

KL-HD0390



TOTE

KL-HD0395



BULK

KL-HD0399

Price:



10W-40

SAE 10W-40 CK-4 Synthetic Blend is recommended for use in naturally aspirated and turbocharged heavy duty diesel engines specifying API CK-4 Service Category and SAE 10W-40.



3.78 L JUG

KL-HD0450



PAIL

KL-HD0480



DRUM

KL-HD0490



TOTE

KL-HD0495

Price:



15W-40

SAE 15W-40 CK-4 Synthetic Blend is OEM certified by Cummins, Detroit Diesel, Volvo, Mack, Ford, and Renault; and recommended for use in all engines specifying API CK-4 Service Category and SAE 15W-40.



QUART

KL-HD0540



5 QUART

KL-HD0560



9.46 L JUG

KL-HD0575



PAIL

KL-HD0580



EZE-BOX

KL-HD0582



EZE-KEG

KL-HD0584



DRUM

KL-HD0590



TOTE

KL-HD0595



BULK

KL-HD0599

Price:

Heavy Duty Engine Oils



15W-40
PROFESSIONAL

SAE 15W-40 CK-4 Professional Formula is a mixed fleet engine oil recommended for naturally aspirated and turbocharged diesel and gasoline engines in which SAE 15W-40 viscosity grade and API CK-4 or previous service categories are specified.



3.78 L JUG
KL-HD0750



PAIL
KL-HD0780



DRUM
KL-HD0790



TOTE
KL-HD0795



BULK
KL-HD0799

Price: _____



0W-30

SAE 0W-30 CK-4 Full Synthetic is recommended for use in heavy duty engines specifying API Service Categories CK-4, CJ-4, CI-4 PLUS, CI-4, and SAE grade 0W-30.



5 QUART
KL-HD2060



PAIL
KL-HD2080



DRUM
KL-HD2090

Price: _____



0W-40

SAE 0W-40 CK-4 Full Synthetic is recommended for use in heavy duty engines specifying API Service Categories CK-4, CI-4 PLUS, CI-4, and SAE grade 0W-40.



5 QUART
KL-HD2560



PAIL
KL-HD2580



DRUM
KL-HD2590



TOTE
KL-HD2595



BULK
KL-HD2599

Price: _____



5W-40

SAE 5W-40 CK-4 Full Synthetic is OEM certified by Detroit Diesel, Volvo, Mack, Ford, and Renault; and recommended for use in all engines specifying API CK-4 Service Category and SAE 5W-40.



5 QUART
KL-HD3060



PAIL
KL-HD3080



EZE-BOX
KL-HD3082



EZE-KEG
KL-HD3084



DRUM
KL-HD3090



TOTE
KL-HD3095



BULK
KL-HD3099



Price: _____



15W-40

SAE 15W-40 CK-4 Full Synthetic is recommended for use in heavy duty engines specifying API CK-4 Service Category and SAE 15W-40.



PAIL
KL-HD3580



DRUM
KL-HD3590



TOTE
KL-HD3595



BULK
KL-HD3599

Price: _____

Heavy Duty Engine Oils

HEAVY DUTY
ENGINE OILS

AUTOMOTIVE
ENGINE OILS

GEAR
LUBRICANTS

TRANSMISSION
FLUIDS

HYDRAULIC
FLUIDS

INDUSTRIAL OILS

GREASES

BIODEGRADABLE
LUBRICANTS

FOOD-GRADE
LUBRICANTS

ANTIFREEZE
CHEMICALS



10W-30 FA-4

SAE 10W-30 FA-4 Synthetic Blend is recommended for use in GHG-17 compliant engines where the use of FA-4 engine oils is specified.



DRUM
KL-HD4290

Price:



10W CF

SAE 10W CF Advanced Formula is recommended for use in applications where SAE 10W monograde meeting API CF is specified.



PAIL
KL-HD6080



DRUM
KL-HD6090



TOTE
KL-HD6095



BULK
KL-HD6099

Price:



30 CF-2

SAE 30 CF-2 Advanced Formula is recommended for use in gasoline and diesel engines where SAE 30 monograde meeting API CF-2 is specified.



QUART
KL-HD6340



5 QUART
KL-HD6360



PAIL
KL-HD6380



DRUM
KL-HD6390



TOTE
KL-HD6395



BULK
KL-HD6399

Price:



40 CF-2

SAE 40 CF-2 Advanced Formula is recommended for use in gasoline and diesel engines where SAE 40 monograde meeting API CF-2 is specified.



5 QUART
KL-HD6660



PAIL
KL-HD6680



DRUM
KL-HD6690

Price:



50 CF-2

SAE 50 CF-2 Advanced Formula is recommended for use in gasoline and diesel engines where SAE 50 monograde meeting API CF-2 is specified.



PAIL
KL-HD6880



DRUM
KL-HD6890



BULK
KL-HD6899

Price:

Heavy Duty Engine Oils



15W-40 LOW ASH

SAE 15W-40 Low Ash Natural Gas is recommended for use in heavy duty on-road turbo-charged or naturally aspirated engines running on natural gas and requiring low ash engine oil.



PAIL

KL-HD7080



DRUM

KL-HD7090



TOTE

KL-HD7095



BULK

KL-HD7099

Price:



10W-40 LOW ASH

SAE 10W-40 Synthetic Blend Low Ash Natural Gas is recommended for modern naturally aspirated and turbocharged four-stroke engines running on natural gas.



3.78 L JUG

KL-HD7250



DRUM

KL-HD7290



TOTE

KL-HD7295

Price:



SAE 40 LOW ASH NG

SAE 40 Low Ash Natural Gas is specifically designed for use in medium and high speed (rpm) engines fueled by pipeline natural gas.



DRUM

KL-HD7490



TOTE

KL-HD7495

Price:



SAE 40 LOW ASH SNG

SAE 40 Low Ash Sour Natural Gas is recommended for heavy duty stationary turbo-charged or naturally aspirated, stoichiometric or lean burn engines running on landfill or organic/bio gas and requiring low ash engine oil.



DRUM

KL-HD7690



TOTE

KL-HD7695



BULK

KL-HD7699

Price:



20W-40

SAE 20W-40 Railroad Engine Oil is an advanced ashless formulation for large diesel engines in railroad, marine, and power generation applications. Designed for use in heavy duty diesel engines specifying SAE 20W-40 multigrade zinc-free engine oil.



DRUM

KL-HD8290

Price:

Heavy Duty Engine Oils



SAE 40

Price:

SAE 40 Railroad Engine Oil is an advanced ashless formulation for large diesel engines in railroad, marine, and power generation applications. Designed for use in heavy duty diesel engines specifying SAE 40 monograde zinc-free engine oil.



DRUM
KL-HD8490



XL TOTE
KL-HD8496

HEAVY DUTY
ENGINE OILS

AUTOMOTIVE
ENGINE OILS

GEAR
LUBRICANTS

TRANSMISSION
FLUIDS

HYDRAULIC
FLUIDS


INDUSTRIAL OILS

GREASES

BIODEGRADABLE
LUBRICANTS

FOOD-GRADE
LUBRICANTS

ANTIFREEZE
CHEMICALS



KLONDIKE advanced technology **automotive** engine oils are formulated for optimum efficiency and are designed for use in modern, highly fuel efficient engines that are subject to increasing levels of stress such as stop-and-go city driving, frequent short trips, extreme high and low operating temperatures, extended idling and towing. KLONDIKE synthetic blend and full synthetic motor oils for passenger cars offer superior oxidation stability, extra protection against heavy load conditions, additional high temperature protection, and better cold weather properties than conventional motor oils. Additionally, KLONDIKE premium quality automotive engine oils are formulated under the newest technology and are certified under the latest API SP and ILSAC GF-6 specification category. These current specifications supersede and replace prior generation categories.



Volkswagen



Audi



Mercedes-Benz

Automotive Engine Oils

HEAVY DUTY
ENGINE OILS

AUTOMOTIVE
ENGINE OILS

GEAR
LUBRICANTS

TRANSMISSION
FLUIDS

HYDRAULIC
FLUIDS

INDUSTRIAL OILS

GREASES

BIODEGRADABLE
LUBRICANTS

FOOD-GRADE
LUBRICANTS

ANTIFREEZE
CHEMICALS



= Conventional



= Synthetic Blend



= Full Synthetic



5W-20
PROFESSIONAL

SAE 5W-20 Professional Formula offers a high level of engine protection and is recommended for passenger cars and light trucks.



DRUM
KL-LD0090



TOTE
KL-LD0095



BULK
KL-LD0099

Price:



5W-30
PROFESSIONAL

SAE 5W-30 Professional Formula offers a high level of engine protection and is recommended for passenger cars and light trucks.



DRUM
KL-LD0290



TOTE
KL-LD0295



BULK
KL-LD0299

Price:



10W-30
PROFESSIONAL

SAE 10W-30 Professional Formula offers a high level of engine protection and is recommended for passenger cars and light trucks.



DRUM
KL-LD0490



TOTE
KL-LD0495



BULK
KL-LD0499

Price:



10W-40

SAE 10W-40 API SP Advanced Formula uses a specialized formula for older, high mileage engines. Recommended for use in passenger cars, light trucks, sport utility vehicles, and other stationary or mobile engines.



QUART
KL-LD0540



DRUM
KL-LD0590

Price:

Automotive Engine Oils



20W-50

Price:

SAE 20W-50 API SP Advanced Formula uses a specialized formula for older, high mileage engines. Recommended for use in passenger cars, light trucks, sport utility vehicles, and other stationary or mobile engines.



DRUM
KL-LD0690



5W-20

Price:

SAE 5W-20 API SP/GF-6A Synthetic Blend is recommended for use in automobiles and other stationary or mobile engines specifying SAE 5W-20 grade and API SP/GF-6A Service Category.



QUART
KL-LD1040



5 QUART
KL-LD1060



PAIL
KL-LD1080



EZE-BOX
KL-LD1082



EZE-KEG
KL-LD1084



DRUM
KL-LD1090



TOTE
KL-LD1095



BULK
KL-LD1099



5W-20

Price:

HIGH MILEAGE



5 QUART
KL-LD1160

SAE 5W-30 API SP/GF-6A Synthetic Blend is recommended for use in automobiles and other stationary or mobile engines specifying SAE 5W-30 grade and API SP/GF-6A Service Category.



5W-30

Price:



QUART
KL-LD1240



5 QUART
KL-LD1260



PAIL
KL-LD1280



EZE-BOX
KL-LD1282



EZE-KEG
KL-LD1284



DRUM
KL-LD1290



TOTE
KL-LD1295



BULK
KL-LD1299



5W-30

Price:

HIGH MILEAGE



5 QUART
KL-LD1360

Automotive Engine Oils



10W-30

SAE 10W-30 API SP/GF-6A Synthetic Blend is recommended for use in automobiles and other stationary or mobile engines specifying SAE 10W-30 grade and API SP/GF-6A Service Category.



Price:



0W-16

SAE 0W-16 API SP/GF-6B Full Synthetic is a highly advanced, 100% synthetic engine oil formulation engineered to provide exceptional fuel economy potential and recommended for use in modern high performance automobiles specifying SAE 0W-16 grade and API SP/GF-6B.



Price:



0W-20

SAE 0W-20 API SP/GF-6A Full Synthetic is recommended for use in automobiles and light trucks specifying SAE 0W-20 grade and API SP/GF-6A.



Price:



0W-20

SAE 0W-20 API SP/GF-6A dexos1® Full Synthetic is GM dexos1® certified and recommended for use in automobiles and light trucks specifying SAE 0W-20 grade and API SP/GF-6A.



Price:



5W-20

SAE 5W-20 API SP/GF-6A Full Synthetic is recommended for use in automobiles and light trucks specifying SAE 5W-20 grade and API SP/GF-6A.



Price:

HEAVY DUTY
ENGINE OILS

AUTOMOTIVE
ENGINE OILS

GEAR
LUBRICANTS

TRANSMISSION
FLUIDS

HYDRAULIC
FLUIDS

INDUSTRIAL OILS

GREASES

BIODEGRADABLE
LUBRICANTS

FOOD-GRADE
LUBRICANTS

ANTIFREEZE
CHEMICALS

Automotive Engine Oils



5W-30

SAE 5W-30 API SP/GF-6A Full Synthetic is recommended for use in automobiles and light trucks specifying SAE 5W-30 grade and API SP/GF-6A.



EZE-BOX
KL-LD3382



EZE-KEG
KL-LD3384



TOTE
KL-LD3395



BULK
KL-LD3399

Price:



5W-30

SAE 5W-30 API SP/GF-6A dexos1® Full Synthetic is GM dexos1® certified and recommended for use in automobiles and light trucks specifying SAE 5W-30 grade and API SP/GF-6A.



QUART
KL-LD3440



5 QUART
KL-LD3460



EZE-BOX
KL-LD3482



EZE-KEG
KL-LD3484



DRUM
KL-LD3490



TOTE
KL-LD3495



BULK
KL-LD3499

Price:



0W-20

EURO

SAE 0W-20 Euro C5 Full Synthetic is specially formulated to meet the requirements of ACEA C5. Robust technology meets the demanding specifications of European OEM's including resistance against oxidation oil thickening and sludge formation inside the engine.



1 L BOTTLE
KL-LD4040



EZE-KEG
KL-LD4084



DRUM
KL-LD4090



Price:



0W-20

EURO

SAE 0W-20 Euro Full Synthetic is recommended for use in European gasoline and diesel fueled engines. Specially formulated to exceed demanding OEM requirements for fuel economy, while offering high stability and very long service interval.



1 L BOTTLE
KL-LD4240



EZE-KEG
KL-LD4284



DRUM
KL-LD4290



TOTE
KL-LD4295



Price:



0W-30

EURO
LOW SAPS

SAE 0W-30 Euro Low SAPS Full Synthetic is recommended for use in European gasoline and diesel fueled engines. Specially formulated to exceed demanding OEM requirements for fuel economy, while offering high stability and very long service interval.



TOTE
KL-LD4595



Price:

Automotive Engine Oils



5W-30
EURO
LOW SAPS
Price:

SAE 5W-30 Euro Low SAPS Full Synthetic is recommended for use in European gasoline and diesel fueled engines. Specially formulated to exceed demanding OEM requirements for fuel economy, while offering high stability and very long service interval.



5W-30
EURO
MID SAPS
Price:

SAE 5W-30 Euro Mid SAPS Full Synthetic is an extended service life, premium engine oil with specialty base oils and additives. Designed for use in European gasoline and diesel fueled engines.



5W-40
SN/CF
EURO
Price:

SAE 5W-40 SN Euro Full Synthetic Engine Oil is recommended for use in modern European 4, 6 and 8+ cylinder multi-cam, multi-valve, naturally aspirated, super- and turbo-charged engines.



EZE-BOX
KL-LD5082



5W-40
EURO
MID SAPS
Price:

SAE 5W-40 Euro Mid SAPS Full Synthetic is a very high-performance engine oil that resists oxidation, sludge deposits, and viscosity loss. Designed for use in European gasoline and diesel fueled engines.



5W-40
EURO
ADVANCED
Price:

SAE 5W-40 Euro Advanced Full Synthetic is a very high-performance engine oil that resists oxidation, sludge deposits, and viscosity loss. Designed for use in European gasoline and diesel fueled engines.



TOTE
KL-LD5395



Automotive Engine Oils

HEAVY DUTY
ENGINE OILS

AUTOMOTIVE
ENGINE OILS

GEAR
LUBRICANTS

TRANSMISSION
FLUIDS

HYDRAULIC
FLUIDS

INDUSTRIAL OILS

GREASES

BIODEGRADABLE
LUBRICANTS

FOOD-GRADE
LUBRICANTS

ANTIFREEZE
CHEMICALS



Tough operating conditions are no match for KLONDIKE **gear** oils. They are specially formulated for maximum protection, durability, and efficiency no matter what climate or conditions are prevalent. Only the finest technology available is used in manufacturing our premium synthetic gear lubricants. KLONDIKE robust formulations are designed for gears and differentials that place rigorous demands on fluid technology and require extreme temperature and pressure protection. Driveline components in today's automotive and heavy duty vehicles have become increasingly stressed by increased engine output, higher operating temperatures, and extended service intervals. KLONDIKE's advanced gear oil technology protects against severe wear while balancing fluid durability in heavy load conditions, including extended drain intervals when applicable.

Gear Lubricants



= Conventional



= Synthetic Blend



= Full Synthetic



80W-90

PROFESSIONAL

SAE 80W-90 GL-5 Professional Formula is designed for use in hypoid differentials, gear boxes, and axle lubrication where API GL-5 performance is required.



PAIL

KL-GL0880



KEG

KL-GL0885



DRUM

KL-GL0890



TOTE

KL-GL0895

Price:



80W-90

Price:

SAE 80W-90 GL-5 Advanced Formula is designed for differentials, manual transmissions, power take off units, and final drives specifying SAE 80W-90 and API GL-5/MT-1.



QUART

KL-GL1040



5 QUART

KL-GL1060



PAIL

KL-GL1080



KEG

KL-GL1085



DRUM

KL-GL1090



TOTE

KL-GL1095



BULK

KL-GL1099

Price:



85W-140

Price:

SAE 85W-140 GL-5 Advanced Formula is designed for differentials, manual transmissions, power take off units, and final drives specifying SAE 85W-140 and API GL-5/MT-1.



PAIL

KL-GL1380



DRUM

KL-GL1390

Price:



75W-90

Price:

SAE 75W-90 GL-5 Full Synthetic Limited Slip is recommended for use in heavy duty gear applications specifying SAE 75W-90 and API GL-5/MT-1 including limited slip.



QUART

KL-GL2040



PAIL

KL-GL2080



KEG

KL-GL2085



DRUM

KL-GL2090



TOTE

KL-GL2095



BULK

KL-GL2099

Gear Lubricants



75W-140

Price:

SAE 75W-140 GL-5 Full Synthetic Limited Slip is recommended for use in heavy duty gear applications specifying SAE 75W-140 and API GL-5/MT-1 including limited slip.



QUART
KL-GL2440



PAIL
KL-GL2480



KEG
KL-GL2485



DRUM
KL-GL2490



TOTE
KL-GL2495



ISO 68

Price:

ISO 68 EP Advanced Formula is designed for heavily loaded plain bearings, enclosed gear drives, and reducers on drives of all sizes where ISO 68 is specified.



PAIL
KL-GL3680



DRUM
KL-GL3690



TOTE
KL-GL3695



ISO 100

Price:

ISO 100 EP Advanced Formula is designed for heavily loaded plain bearings, enclosed gear drives, and reducers on drives of all sizes where ISO 100 is specified.



PAIL
KL-GL3880



DRUM
KL-GL3890



TOTE
KL-GL3895



ISO 150

Price:

ISO 150 EP Advanced Formula is designed for heavily loaded plain bearings, enclosed gear drives, and reducers on drives of all sizes where ISO 150 is specified.



PAIL
KL-GL4080



DRUM
KL-GL4090



TOTE
KL-GL4095



BULK
KL-GL4099



ISO 220

Price:

ISO 220 EP Advanced Formula is designed for heavily loaded plain bearings, enclosed gear drives, and reducers on drives of all sizes where ISO 220 is specified.



PAIL
KL-GL4280



DRUM
KL-GL4290



TOTE
KL-GL4295

Gear Lubricants

HEAVY DUTY
ENGINE OILS

AUTOMOTIVE
ENGINE OILS

GEAR
LUBRICANTS

TRANSMISSION
FLUIDS

HYDRAULIC
FLUIDS

INDUSTRIAL OILS

GREASES

BIODEGRADABLE
LUBRICANTS

FOOD-GRADE
LUBRICANTS

ANTIFREEZE
CHEMICALS



ISO 320

ISO 320 EP Advanced Formula is designed for heavily loaded plain bearings, enclosed gear drives, and reducers on drives of all sizes where ISO 320 is specified.



Price:



ISO 460

ISO 460 EP Advanced Formula is designed for heavily loaded plain bearings, enclosed gear drives, and reducers on drives of all sizes where ISO 460 is specified.



Price:



ISO 150

ISO 150 EP Full Synthetic is formulated for industrial bearings and gear applications operating in very heavy duty and shock-loaded conditions where ISO 150 is specified.



Price:



ISO 220

ISO 220 EP Full Synthetic is formulated for industrial bearings and gear applications operating in very heavy duty and shock-loaded conditions where ISO 220 is specified.



Price:



ISO 320

ISO 320 EP Full Synthetic is formulated for industrial bearings and gear applications operating in very heavy duty and shock-loaded conditions where ISO 320 is specified.



Price:

Gear Lubricants



ISO 460

ISO 460 EP Full Synthetic is formulated for industrial bearings and gear applications operating in very heavy duty and shock-loaded conditions where ISO 460 is specified.



PAIL
KL-GL6680



DRUM
KL-GL6690



TOTE
KL-GL6695

Price:



ISO 6801

ISO 680 EP Full Synthetic is formulated for industrial bearings and gear applications operating in very heavy duty and shock-loaded conditions where ISO 680 is specified.



PAIL
KL-GL6880



DRUM
KL-GL6890

Price:

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

Gear Lubricants

HEAVY DUTY
ENGINE OILS

AUTOMOTIVE
ENGINE OILS

GEAR
LUBRICANTS

TRANSMISSION
FLUIDS

HYDRAULIC
FLUIDS


INDUSTRIAL OILS

GREASES

BIODEGRADABLE
LUBRICANTS

FOOD-GRADE
LUBRICANTS

ANTIFREEZE
CHEMICALS



KLONDIKE **transmission** fluids are formulated for use in a full range of automatic transmissions and provide premium shifting characteristics. This extensive line of automatic transmission fluids offers smooth yet responsive shifting, long service life, and outstanding fuel efficiency. KLONDIKE transmission oils are engineered to provide improved performance, extended transmission life, as well as premium flow characteristics at very low temperatures and protection against oxidation, varnish and sludge at high temperatures.



MERCON® LV

Transmission Fluids



= Conventional



= Synthetic Blend



= Full Synthetic



TYPE F

Type F Advanced Formula Automatic is a non friction-modified fluid designed for use in older Ford vehicles, and other import brands, also suitable for off road equipment in drivetrain and hydraulic systems where non friction modified fluid is specified.



PAIL
KL-TF0880



DRUM
KL-TF0890

Price:



ATF MD3

ATF MD3 Advanced Formula Automatic is designed and recommended for use in most pre-2006 automatic transmissions that reference specifications GM DEXRON III, Ford MERCON and similar.



QUART
KL-TF1040



5 QUART
KL-TF1060



PAIL
KL-TF1080



EZE-BOX
KL-TF1082



DRUM
KL-TF1090



TOTE
KL-TF1095



BULK
KL-TF1099

Price:



SYNCHROMESH

SAE 75W-80 GL-4 Synchronmesh Full Synthetic Manual is specifically developed for manual transmissions and transfer cases in passenger cars and trucks, engineered to exceed OEM standards for smooth, precise shifting and advanced antiwear protection.



1 L BOTTLE
KL-TF1640

Price:



SYNTHETIC ATF

ULV Full Synthetic Automatic is designed for use in automatic transmissions manufactured by North American, European, Asian, and other manufactures around the world using 9 and 10 speed high performance transmission designs.



1 L BOTTLE
KL-TF2640



EZE-KEG
KL-TF2684

Price:



Transmission Fluids



ATF

Universal Full Synthetic ATF is one highly advanced and truly universal automatic transmission fluid ideal for global application. Meets the performance requirements of (but not limited to):

- **Aisin** JWS 3309, 3324 (all OEM's)
- **Allison** C-3, C-4
- **Audi** 5HP LT71141, G 052 162-A1/A2, G 052 025 A2, 053 025 A2, 060 162, 055 540 A2, 052 990, 052 055
- **Bentley** PY112995PA
- **BMW** JWS 3309, LA2634, 7045E, LT71141, ETL 8072B, ZF 5HP18FL, 19FL, 5HP24, 5HP30,
- **Bosch** TE-ML 09
- **CAT** TO-2
- **Chrysler** 05127382AA(MB 236.12), 68043742AA(D-VI), 68157995AA(ZF 8 & 9), 68157995AB, 68171866AA(SP-IV), Mopar 8 & 9 fluid 68218925AA (ZF 8HP45 & ZF 9HP45)
- **Chrysler** AS68RC, AS69RC (T-IV), Diamond SP-III, ATF+3, ATF+4
- **Daewoo** LT 71141
- **Daihatsu** AMMIX ATF D-II, D-III SP
- **Esso** LT 71141
- **Fiat** T-VI, JWS 3309
- **Ford** M2C166H (XL-12), 138CJ, 922A1, 924A, JWS 3309, XT-2-QDX (Mercon V), XT-2-QSM (Synthetic Mercon), Ford FNR5, (Mazda M5, XT-9-QMM5), XT8QAW
- **Ford Mercon LV** (FF-WSS M2C938A/SF, XT-10-QLV)
- **Fuchs** 3353
- **FUSO** ATF-II, SPIII, A4
- **GM** Dexron HP, Dexron VI, Dexron III (H,G,F,E,D) Dexron II (D,E) Dexron, AW1
- **GM** Autotrak II (Transfer Case Fluid)
- **GM** (GMC, Opel, Saturn) 88863400/88863401(W5 ATF), JWS 3309, 19 40 700, 19 40 767, 21005966 Transaxle, 22 17466, 88900925(T-IV), 9986195 (Aisin AW), AS69RC
- **GMN** 10060
- **Hino Blue Ribbon** ATF
- **Honda** ATF Ultra II, DW-1, Z-1, 3.0, 3.1
- **Hyundai/Kia** SP-IV, SP-IV M, SPH-IV, SP-IV RR, SP-III, Dex-II/SP-II, JWS 3314, 9683, 04000090SG, NUMM040 CH20 Red-1
- **IDEMITSU APOROIL** ATF HP, Idemitsu K17 3100 PL085
- **ISUZU BESCO** ATF-II, III, Isuzu SCS, ATF-III, ATF SP, 08200-9001
- **Jaguar** ATF 3403 M115, LT71141, ZF 5HP24, JLM20238, K17, 20292, 8432, 02JDE26444, WSS-M2C922A1
- **JASO 1A-LV**
- **Land Rover** LR023288
- **Lexus** JWS 3309
- **MAN** 339A, 339 Type V2, V1, Z2, Z1
- **Mazda** ATF D-II, M-III, M-V, FZ, F-1, S-1, N-1, 3317, T-IV
- **MB** 223.2, 236.1, 236.2, 236.10, 236.12, 236.14, 236.41, 236.5, 236.6, 236.7, 236.8, 236.9
- **Mini Cooper** T-IV, MINI P/N 83 22 0 402 413
- **Mitsubishi** Diaqueen SK, SP-II, SP-III, SP-IV, AW, J2, J3, ATF-MA1, PA
- **NAG-1** (Chrysler, Jeep, Cherokee)
- **Nissan** Matic C, D, J, K, P, S, 402
- **Porsche** P/N 999 917 547 00 (A2), ZF 5HP16FL, 19FL, ZF 5HP20, LT71141, ATF 3403-M115, T-IV (JWS 3309), 000 043 205 09, 000 043 205 28
- **SAAB** T-IV, 3309, 93 165 147, 93 160 393
- **Saturn** T-IV, GM TASA, T-IV ATF, GM WS ATF, Saturn VI, 21005966, 1940700, 1940767, 22717466, 88900925, 93160393
- **Shell** L 12108, 3403 M115, LA2634, ETL-8072B, M-1375.4
- **Subaru** ATF 5AT, Dex II, AT OIL 5D06, ATF, ATF HP
- **Suzuki** ATF 2326, 2384K, JWS 3309, 3314, 3317, AT OIL 5D06
- **Texaco** 7045-E, 8072B, N402
- **Toyota** D-II, D-III, Hybrid, T-II, T-III, T-IV, WS
- **Vickers** M-2950-S, I-286-S
- **Voith** 55.6335 (G607), Svc Bltn #013 and #118
- **Volvo** 97325, 97335, CE 97340, CE97341/AT-101, CE 97342/AT-102, 1161521, 1161621, 1161540, 1161640, 31256774, 31256675
- **Volvo** Passenger Car (4 / 6 sp), Volvo 97340, 97341, 97342, P/N 1161540-8
- **VW** 5 HP ZF5 HP 30, 18FL, 19FL, 24A, G-055-025 A2, G-055-540, G-055-162 (ZF Lifeguardfluid 5), G-055-162-A2, A6 (ZF Lifeguardfluid 6 Plus), G-060-162 (ZF Lifeguardfluid 8), G US 000 162, TL 52540 A, VW G 052 162 A1, A2 A6, 099, VW TL52162 (LT71141)
- **ZF**: all 3 & 4 speed, 8 speed, 9 speed, ZF TE-ML 02F, 03D, 04D, 05L, 09, 11A, 11B, 14A, 14B, 14C, 16L, 17C, 21L



QUART
KL-TF3040



5 QUART
KL-TF3060



PAIL
KL-TF3080



EZE-BOX
KL-TF3082



EZE-KEG
KL-TF3084



DRUM
KL-TF3090



TOTE
KL-TF3095



BULK
KL-TF3099

Price:

Transmission Fluids

HEAVY DUTY
ENGINE OILS

AUTOMOTIVE
ENGINE OILS

GEAR
LUBRICANTS

TRANSMISSION
FLUIDS

HYDRAULIC
FLUIDS

INDUSTRIAL OILS

GREASES

BIODEGRADABLE
LUBRICANTS

FOOD-GRADE
LUBRICANTS

ANTIFREEZE
CHEMICALS



DEX/MERC
Price:

DEXRON® VI / MERCON® LV Full Synthetic Automatic is OEM certified by General Motors and Ford.



QUART
KL-TF2840

Approvals:



MERCON® LV



CVT

Full Synthetic CVT is formulated for modern and legacy continuously variable transmissions. Do not use as a replacement for ATF.

- Audi/VW TL 52180; G 052 180; G 052 516
- Daihatsu Amix CVTF-DC; CVTF-DFE
- Dodge / Jeep NS-2; CVTF+4; Mopar CVT 4
- Ford CFT30/WSS-M2C933-A/Motorcraft XT-7-QCFT
- GM/Saturn DEX-CVT; CVTF I-Green2
- Honda HMMF; HCF-2
- Hyundai/Kia CVTF SP-CVT 1; SP-III
- Mazda CVTF 3320
- Mercedes Benz CVT28; MB 236.20
- BMW 83 22 0 136 176; 83 22 0 429 154 (EZL 799/EZL 799A)
- Mini Cooper EZL 799; EZL 799A; ZF CVT V1
- Mitsubishi DiaQueen CVTF-J1; CVTF-J4
- Nissan NS-1; NS-2; NS-3
- Punch EZL 799/EZL 799A
- Shell Green 1V
- Subaru iCVT; ECVT; Lineartronic CVT, CVT II, CVT III; High Torque (HT); CVTF LV
- Suzuki TC; NS-2; CVTF Green 1; CVTF Green 2; CVTF 3320
- Toyota CVTF TC; CVTF FE



QUART
KL-TF3340

Price:

Transmission Fluids



HD ATF

Full Synthetic Heavy Duty Automatic is formulated for high performance and long service life in heavy duty automatic transmissions in urban and rural Professional vehicles.



5 QUART
KL-TF3160



PAIL
KL-TF3180



DRUM
KL-TF3190



TOTE
KL-TF3195

Price:



HD SYN DRIVE

HD SYN DRIVE Full Synthetic is next generation, full synthetic automatic transmission fluid, licensed by Allison Transmission for applications requiring TES-668® approved fluid.



5 QUART
KL-TF3260



PAIL
KL-TF3280



DRUM
KL-TF3290



TOTE
KL-TF3295

Price:



DCT

Dual Clutch Full Synthetic is designed for use in dual clutch transmissions (DCT) used in high performance automobiles, specially engineered to deliver outstanding anti-shudder durability, shear stability, and oxidation control even when exposed to severe conditions.



1 L BOTTLE
KL-TF3540

Price:



SAE 40

SAE 40 ES Full Synthetic Manual is recommended for use in modern manual and automated manual transmissions in late model highway tractors. Supersedes the requirements of previous generation SAE 50 grade product.



PAIL
KL-TF3980



DRUM
KL-TF3990

Price:



SAE 50

SAE 50 MT-1 Full Synthetic Manual is recommended for use in all applications specifying SAE grade 50 and API Service Category MT-1.



PAIL
KL-TF4080



KEG
KL-TF4085



DRUM
KL-TF4090



TOTE
KL-TF4095



BULK
KL-TF4099

Price:

Transmission Fluids

HEAVY DUTY
ENGINE OILS

AUTOMOTIVE
ENGINE OILS

GEAR
LUBRICANTS

TRANSMISSION
FLUIDS

HYDRAULIC
FLUIDS

INDUSTRIAL OILS

GREASES

BIODEGRADABLE
LUBRICANTS

FOOD-GRADE
LUBRICANTS

ANTIFREEZE
CHEMICALS



75W-90 DT AMT

SAE 75W-90 DT Full Synthetic AMT Lubricant is designed to meet the requirements of DT-12 automated manual transmissions.



PAIL
KL-TF4280



DRUM
KL-TF4290

Price:



75W-80 VM AMT

SAE 75W-80 VM Full Synthetic AMT Lubricant is designed to meet the requirements of late model Volvo I-Shift and Mack mDrive Transmissions.



PAIL
KL-TF4480



DRUM
KL-TF4490

Price:



10W TDTO-4

SAE 10W TDTO-4 Advanced Formula Transmission/Drivetrain Fluid is designed for heavy duty mobile and stationary equipment where Caterpillar TO-4 or Allison C-4 fluids for SAE 10W grade are specified.



PAIL
KL-TF6080



DRUM
KL-TF6090



TOTE
KL-TF6095



BULK
KL-TF6099

Price:



30 TDTO-4

SAE 30 TDTO-4 Advanced Formula Transmission/Drivetrain Fluid is designed for heavy duty mobile and stationary equipment where Caterpillar TO-4 or Allison C-4 fluids for SAE 30 grade are specified.



PAIL
KL-TF6280



DRUM
KL-TF6290



TOTE
KL-TF6295



BULK
KL-TF6299

Price:



50 TDTO-4

SAE 50 TDTO-4 Advanced Formula Transmission/Drivetrain Fluid is designed for heavy duty mobile and stationary equipment where Caterpillar TO-4 or Allison C-4 fluids for SAE 50 grade are specified.



PAIL
KL-TF6480



DRUM
KL-TF6490



TOTE
KL-TF6495

Price:

Transmission Fluids

HEAVY DUTY
ENGINE OILS

AUTOMOTIVE
ENGINE OILS

GEAR
LUBRICANTS

TRANSMISSION
FLUIDS

HYDRAULIC
FLUIDS


INDUSTRIAL OILS

GREASES

BIODEGRADABLE
LUBRICANTS

FOOD-GRADE
LUBRICANTS

ANTIFREEZE
CHEMICALS



KLONDIKE anti-wear **hydraulic** fluids are designed to operate in the most extreme conditions. Today, operating conditions require greater precision and pressure than ever before. While advanced systems do more work and are more responsive, they are also more vulnerable to wear and deposit formation when operated at higher temperatures and pressures. Highly tested KLONDIKE hydraulic lubricants are specially formulated with the finest base oils and additive systems that deliver unrivaled performance and protection.

Hydraulic Fluids



= Conventional



= Synthetic Blend



= Full Synthetic



AW 22

PROFESSIONAL

AW 22 Professional Formula is recommended for in use heavy duty mobile and stationary equipment in exploration, construction, logging and mining industries.



PAIL

KL-HF0080



DRUM

KL-HF0090



TOTE

KL-HF0095

Price:



AW 32

PROFESSIONAL

AW 32 Professional Formula is recommended for in use heavy duty mobile and stationary equipment in exploration, construction, logging and mining industries.



PAIL

KL-HF0280



EZE-KEG

KL-HF0284



DRUM

KL-HF0290



TOTE

KL-HF0295



BULK

KL-HF0299

Price:



AW 46

PROFESSIONAL

AW 46 Professional Formula is recommended for in use heavy duty mobile and stationary equipment in exploration, construction, logging and mining industries.



PAIL

KL-HF0480



EZE-KEG

KL-HF0484



DRUM

KL-HF0490



TOTE

KL-HF0495



BULK

KL-HF0499

Price:



AW 68

PROFESSIONAL

AW 68 Professional Formula is recommended for in use heavy duty mobile and stationary equipment in exploration, construction, logging and mining industries.



PAIL

KL-HF0680



DRUM

KL-HF0690



TOTE

KL-HF0695



BULK

KL-HF0699

Price:

Hydraulic Fluids



AW 22

Price:

AW 22 Advanced Formula is recommended for use in high pressure hydraulic systems in all types of heavy duty and industrial service applications ensuring outstanding system efficiency and extended service life.



PAIL
KL-HF1080



DRUM
KL-HF1090



TOTE
KL-HF1095



BULK
KL-HF1099



RED AW 22

Price:

Red AW 22 Advanced Formula is recommended for vane, piston, or gear-type hydraulic pumps in heavy duty and industrial service specifying ISO 22 viscosity. Dyed red for better visibility.



PAIL
KL-HF1180



AW 32

Price:

AW 32 Advanced Formula is recommended for use in high pressure hydraulic systems in all types of heavy duty and industrial service applications ensuring outstanding system efficiency and extended service life.



5 QUART
KL-HF1260



PAIL
KL-HF1280



DRUM
KL-HF1290



TOTE
KL-HF1295



BULK
KL-HF1299



RED AW 32

Price:

Red AW 32 Advanced Formula is recommended for vane, piston, or gear-type hydraulic pumps in heavy duty and industrial service specifying ISO 32 viscosity. Dyed red for better visibility.



PAIL
KL-HF1380



TOTE
KL-HF1395



BULK
KL-HF1399



AW 46

Price:

AW 46 Advanced Formula is recommended for use in high pressure hydraulic systems in all types of heavy duty and industrial service applications ensuring outstanding system efficiency and extended service life.



5 QUART
KL-HF1460



PAIL
KL-HF1480



DRUM
KL-HF1490



TOTE
KL-HF1495



BULK
KL-HF1499



AW 68

AW 68 Advanced Formula is recommended for use in high pressure hydraulic systems in all types of heavy duty and industrial service applications ensuring outstanding system efficiency and extended service life.



PAIL
KL-HF1680



DRUM
KL-HF1690



TOTE
KL-HF1695



BULK
KL-HF1699

Price:



AW 100

AW 100 Advanced Formula is recommended for use in high pressure hydraulic systems in all types of heavy duty and industrial service applications ensuring outstanding system efficiency and extended service life.



PAIL
KL-HF1880



DRUM
KL-HF1890

Price:



SAE 10W

SAE 10W AW Advanced Formula Heavy Duty is engineered for use in high pressure hydraulic systems subject to a wide range of climatic conditions and ambient temperatures. Typically recommended for use in machinery manufactured by Caterpillar.



PAIL
KL-HF2080

Price:



MV AW 15

MV AW 15 Advanced Formula with Arctic Performance Technology is formulated for high performance hydraulic systems in mobile and stationary equipment operating in ultra-low temperatures.



PAIL
KL-HF4880



DRUM
KL-HF4890



TOTE
KL-HF4895



BULK
KL-HF4899

Price:



MV AW 22

MV AW 22 Advanced Formula with Arctic Performance Technology is formulated for high performance hydraulic systems in mobile and stationary equipment across a broad temperature range.



PAIL
KL-HF5080



DRUM
KL-HF5090



TOTE
KL-HF5095



BULK
KL-HF5099

Price:

HEAVY DUTY
ENGINE OILSAUTOMOTIVE
ENGINE OILSGEAR
LUBRICANTSTRANSMISSION
FLUIDSHYDRAULIC
FLUIDS

INDUSTRIAL OILS

GREASES

BIODEGRADABLE
LUBRICANTSFOOD-GRADE
LUBRICANTSANTIFREEZE
CHEMICALS

Hydraulic Fluids



MV AW 36

MV AW 36 Advanced Formula with Arctic Performance Technology is formulated for high performance hydraulic systems in mobile and stationary equipment across a broad temperature



PAIL
KL-HF5280



DRUM
KL-HF5290



TOTE
KL-HF5295



BULK
KL-HF5299

Price:



MV AW 46

MV AW 46 Advanced Formula with Arctic Performance Technology is formulated for high performance hydraulic systems in mobile and stationary equipment across a broad temperature



PAIL
KL-HF5480



DRUM
KL-HF5490



TOTE
KL-HF5495



BULK
KL-HF5499

Price:



MV AW 68

MV AW 68 Advanced Formula with Arctic Performance Technology is formulated for high performance hydraulic systems in mobile and stationary equipment across a broad temperature



PAIL
KL-HF5680

Price:



XVI

XVI AW Synthetic Technology All Season is recommended for vane, piston, or gear-type hydraulic pumps in heavy duty, industrial machines and mobile equipment. Very high viscosity index and low pour point makes this the ideal fluid for all season use in mobile and stationary equipment.



PAIL
KL-HF5780



DRUM
KL-HF5790



TOTE
KL-HF5795

Price:



TURBINE 32

ISO 32 Advanced Formula Long Life Turbine Oil is a premium R+O fluid designed for use in non-g geared steam, hydro-electric and gas turbines as well as a high temperature bearing lubricant and coolant.



PAIL
KL-HF6680



DRUM
KL-HF6690



TOTE
KL-HF6695

Price:

Hydraulic Fluids

HEAVY DUTY
ENGINE OILS

AUTOMOTIVE
ENGINE OILS

GEAR
LUBRICANTS

TRANSMISSION
FLUIDS

HYDRAULIC
FLUIDS

INDUSTRIAL OILS

GREASES

BIODEGRADABLE
LUBRICANTS

FOOD-GRADE
LUBRICANTS

ANTIFREEZE
CHEMICALS



TURBINE 46

ISO 46 Advanced Formula Long Life Turbine Oil is a premium R+O fluid designed for use in non-geared steam, hydro-electric and gas turbines as well as a high temperature bearing lubricant and coolant.



PAIL
KL-HF6880

Price:



TURBINE 68

ISO 68 Advanced Formula Long Life Turbine Oil is a premium R+O fluid designed for use in non-geared steam, hydro-electric and gas turbines as well as a high temperature bearing lubricant and coolant.



PAIL
KL-HF7080



DRUM
KL-HF7090

Price:



TURBINE 150

ISO 150 Advanced Formula Long Life Turbine Oil is a premium R+O fluid designed for use in non-geared steam, hydro-electric and gas turbines as well as a high temperature bearing lubricant and coolant.



DRUM
KL-HF7490

Price:



UTF

Universal Tractor Fluid is the one single fluid that may be used to lubricate all conventional points on an agricultural or industrial tractor or piece of mobile equipment with a common sump.



5 QUART
KL-HF8060



9.46 L JUG
KL-HF8075



PAIL
KL-HF8080



EZE-KEG
KL-HF8084



DRUM
KL-HF8090



TOTE
KL-HF8095



BULK
KL-HF8099

Price:



ARCTIC UTF

Synthetic Blend Arctic Tractor Fluid is a low viscosity version of UTF and is designed to fulfill the torque transfer, hydraulic, and power transmission requirements of farm tractors and other mobile off-road equipment.



PAIL
KL-HF8180



DRUM
KL-HF8190



TOTE
KL-HF8195



BULK
KL-HF8199

Price:

HEAVY DUTY
ENGINE OILSAUTOMOTIVE
ENGINE OILSGEAR
LUBRICANTSTRANSMISSION
FLUIDSHYDRAULIC
FLUIDS

INDUSTRIAL OILS

GREASES

BIODEGRADABLE
LUBRICANTSFOOD-GRADE
LUBRICANTSANTIFREEZE
CHEMICALS

Hydraulic Fluids



UTF

Full Synthetic Universal Tractor Fluid is formulated with Arctic Performance Technology for use in all kinds of farm equipment, off-highway machinery, and industrial tractors.



PAIL

KL-HF8280



DRUM

KL-HF8290

Price: _____



UTF RED

Universal Red Tractor Fluid is a specialized, advanced formulation designed to fulfill the torque transfer, hydraulic, and power transmission requirements of modern agricultural and other mobile off-road equipment. Dyed red for visibility.



PAIL

KL-HF8480



DRUM

KL-HF8490



TOTE

KL-HF8495



BULK

KL-HF8499

Price: _____



WET BRAKE

Full Synthetic Wet Brake Lubricant is a specialized heavy duty fluid designed to fulfil VOLVO wet brake WB101 and WB102.



PAIL

KL-HF8680



DRUM

KL-HF8690

Price: _____



CIRCULATING 32

ISO 32 Full Synthetic Gear and Circulating Oil is a full synthetic multi-functional industrial oil. Excels as a high performance, long life lubricant in circulating, compressor, and turbine applications in the appropriate viscosity grade.



TOTE

KL-HF8795

Price: _____



CIRCULATING 220

ISO 220 Full Synthetic Gear and Circulating Oil is a full synthetic multi-functional industrial oil. Excels as a high performance, long life lubricant in circulating, compressor, and turbine applications in the appropriate viscosity grade.



PAIL

KL-HF9280

Price: _____

Hydraulic Fluids



ISO 460 Full Synthetic Gear and Circulating Oil is a full synthetic multi-functional industrial oil. Excels as a high performance, long life lubricant in circulating, compressor, and turbine applications in the appropriate viscosity grade.



DRUM
KL-HF9490



TOTE
KL-HF9495

Price:




ISO 680 Full Synthetic Gear and Circulating Oil is a full synthetic multi-functional industrial oil. Excels as a high performance, long life lubricant in circulating, compressor, and turbine applications in the appropriate viscosity grade.



DRUM
KL-HF9690

Price:



The KLONDIKE family of **industrial** and **functional** fluids is formulated for exceptional performance and reliability using world-class technologies that have been trusted and proven by industry professionals for many years and is relied on by industry users all year round. Our bar and chain oil is of the highest quality and operates in extreme climatic - high or low temperature - conditions. It offers unsurpassed durability and performance for equipment operating in high heat conditions, and performs flawlessly in the logging and saw mill industries that require the most robust and durable lubricant formulations in order to maximize efficiency and productivity.



= Conventional



= Synthetic Blend



= Full Synthetic



BAR & CHAIN

Bar & Chain Oil Professional Formula is an economy fluid designed for the lubrication of chains, bars, and sprockets of chain saws.



3.78 L JUG
KL-IO0650



PAIL
KL-IO0680



DRUM
KL-IO0690



TOTE
KL-IO0695

Price:



ISO 90

Hi-Tack ISO 90 Bar & Chain Oil is a professional low viscosity formula for winter use in all types of chain saws with manual or automatic oilers for lubrication of the bar, chain, and sprocket.



5 QUART
KL-IO1060



PAIL
KL-IO1080



DRUM
KL-IO1090



TOTE
KL-IO1095



BULK
KL-IO1099

Price:



ISO 150

Hi-Tack ISO 150 Bar & Chain Oil is a professional medium viscosity formula for all-season use in all types of chain saws with manual or automatic oilers for lubrication of the bar, chain, and sprocket.



5 QUART
KL-IO1260



PAIL
KL-IO1280



DRUM
KL-IO1290



TOTE
KL-IO1295



BULK
KL-IO1299

Price:



ISO 220

Hi-Tack ISO 220 Bar & Chain Oil is a professional formulation designed for summer use in chain saws, open bearings, gears, and chains found in industrial applications or anywhere a tacky oil is required.



5 QUART
KL-IO1460



PAIL
KL-IO1480



DRUM
KL-IO1490



TOTE
KL-IO1495



BULK
KL-IO1499

Price:

HEAVY DUTY
ENGINE OILSAUTOMOTIVE
ENGINE OILSGEAR
LUBRICANTSTRANSMISSION
FLUIDSHYDRAULIC
FLUIDS

INDUSTRIAL OILS

GREASES

BIODEGRADABLE
LUBRICANTSFOOD-GRADE
LUBRICANTSANTIFREEZE
CHEMICALS

Industrial Oils



ISO 32

ROCKDRILL

ISO 32 Advanced Formula Rock Drill Oil is formulated for the internal mechanisms and moving parts of pneumatic equipment operating in heavy duty service environments where ISO 32 is specified.



PAIL
KL-IO2280

Price:



ISO 68

ROCKDRILL

ISO 68 Advanced Formula Rock Drill Oil is formulated for the internal mechanisms and moving parts of pneumatic equipment operating in heavy duty service environments where ISO 68 is specified.



PAIL
KL-IO2680



DRUM
KL-IO2690



TOTE
KL-IO2695

Price:



ISO 100

ROCKDRILL

ISO 100 Advanced Formula Rock Drill Oil is formulated for the internal mechanisms and moving parts of pneumatic equipment operating in heavy duty service environments where ISO 100 is specified.



PAIL
KL-IO2880



DRUM
KL-IO2890

Price:



ISO 150

ROCKDRILL

ISO 150 Advanced Formula Rock Drill Oil is formulated for the internal mechanisms and moving parts of pneumatic equipment operating in heavy duty service environments where ISO 150 is specified.



PAIL
KL-IO3080



DRUM
KL-IO3090



TOTE
KL-IO3095

Price:



ISO 220

ROCKDRILL

ISO 220 Advanced Formula Rock Drill Oil is formulated for the internal mechanisms and moving parts of pneumatic equipment operating in heavy duty service environments where ISO 220 is specified.



PAIL
KL-IO3280



DRUM
KL-IO3290

Price:



ISO 100 COMPRESSOR

ISO 100 Compressor Oil is formulated for reciprocating compressors requiring ISO 100 grade mineral based compressor oil.



DRUM
KL-IO4190



TOTE
KL-IO4195

Price: _____



ISO 260 COMPRESSOR

ISO 260 Natural Gas Compressor Oil is specifically designed for the lubrication of large, heavy duty reciprocating compressors pumping hydrocarbons such as natural gas.



DRUM
KL-IO4490

Price: _____



ISO 46 COMPRESSOR

ISO 46 Full Synthetic Compressor Oil is designed for use in rotary screw, rotary vane, reciprocating, and centrifugal air compressors and vacuum pumps requiring ISO 46 synthetic lubricant.



PAIL
KL-IO5180

Price: _____



ND-30

ND-30 Advanced Formula Non-Detergent Oil is recommended for use in air compressors and other industrial applications where non-detergent oil is specified.



QUART
KL-IO5840



PAIL
KL-IO5880



DRUM
KL-IO5890

Price: _____



2 CYCLE

2-Cycle Universal Engine Oil is a premium low ash formula that promotes internal engine cleanliness and prolongs spark plug life in outdoor power equipment such as chain saws, trimmers, blowers and other machinery.



236 mL BOTTLE
KL-IO6029



473 mL BOTTLE
KL-IO6032

Price: _____

Industrial Oils



TC-W3 2 CYCLE

2-Cycle TC-W3 Advanced Formula Engine Oil is a NMMA certified, virtually ashless engine oil formulated for use in high performance engines using pre-mix or mix-on-demand VRO oil delivery system applications requiring oil meeting API TC and/or JASO FB.



QUART
KL-IO6040



5 QUART
KL-IO6060

Price: _____



2 CYCLE

2-Cycle Full Synthetic Snowmobile Oil is a premium lubricant formulated for use in modern snowmobiles (Arctic-Cat, Polaris, Yamaha, Ski-Doo), motorcycles, scooters, ATV's, and other powersport engines.



QUART
KL-IO6240



5 QUART
KL-IO6260



DRUM
KL-IO6290

Price: _____



ISO 68 WAY OIL

ISO 68 Advanced Formula Way Oil is specifically formulated for use in the lubrication of bearings, slides, and ways of machine tools such as lathes, planers, shapers, and tapping machines.



PAIL
KL-IO7280



DRUM
KL-IO7290



TOTE
KL-IO7295

Price: _____



CUTTING OIL

Advanced Formula Soluble Cutting Oil is a water-soluble cutting fluid designed for long service life and low maintenance; and suitable for use on a wide range of materials and machining operations.



PAIL
KL-IO7880

Price: _____



ISO 100 SAW GUIDE

ISO 100 Advanced Formula Tacky Saw Guide Oil is recommended for all types of thin kerf saw blades on modern gang saws and edgers.



DRUM
KL-IO8390

Price: _____



MULTI-USE INDUSTRIAL

Multi-Use Advanced Formula Industrial Cattle / Riding Arena / De-Dusting Oil is suitable for use in a wide range of applications such as cattle oiling systems, dust control in riding arenas, dust control in fertilizer plants, cedar shake preservative, concrete form release agent, and other similar industrial uses.



PAIL
KL-IO9580

Price: _____



FORM OIL

Enhanced Form Release Oil is a clear, non-staining fluid designed for the easy release of concrete forms. Specially formulated for ease of use with all types of form materials.



PAIL
KL-IO9780



DRUM
KL-IO9790

Price: _____



CONVEYOR DRESSING OIL

Conveyor Dressing Oil is a clear, non-staining fluid designed for the easy release of concrete forms. Specially formulated for ease of use with all types of form materials.



XL TOTE
KL-IO9796

Price: _____



DUST OIL

Form Release / Dust Oil is colorless, odorless, neutral oil for dust suppression and concrete form release as well as other similar Professional applications.



DRUM
KL-IO9990



TOTE
KL-IO9995



BULK
KL-IO9999

Price: _____

HEAVY DUTY ENGINE OILS

AUTOMOTIVE ENGINE OILS

GEAR LUBRICANTS

TRANSMISSION
FLUIDS

HYDRAULIC FLUIDS

INDUSTRIAL OILS

GREASES

BIODEGRADABLE LUBRICANTS

FOOD-GRADE LUBRICANTS

ANTIFREEZE CHEMICALS



KLONDIKE produces a range of unique robust and tacky **greases** that provide premium lubrication in difficult operating conditions and are tailored to industry requirements for improved productivity. They are specially engineered for environments with extreme temperature requirement, moisture and dirt contamination, heavy loads, extended maintenance intervals and other conditions that impact performance. Our greases are created with the finest base oils and additives in order to provide outstanding tackiness, lubrication and protection. These formulations will guard against oxidation and wear in extreme pressure and high temperature applications.



= Conventional



= Synthetic Blend



= Full Synthetic



EP-1.5

nano EP-1.5 Full Synthetic Grease is formulated for use in the most technical and demanding industrial, automotive, and heavy duty equipment applications. Supports a 45% reduction in equipment downtime.



TUBE

KL-NGR1630



PAIL

KL-NGR1680



KEG

KL-NGR1685

ENGINEERED WITH NANOTECHNOLOGY

Price:



EP-1

nano EP-1 Calcium Sulfonate Grease is formulated with calcium sulfonate complex and proprietary nanotechnology. Offers outstanding extreme pressure properties, corrosion and oxidation protection, and high resistance to moisture degradation.



TUBE

KL-NGR4630

ENGINEERED WITH NANOTECHNOLOGY

Price:



EP-2

nano EP-2 Calcium Sulfonate Grease is formulated with calcium sulfonate complex and proprietary nanotechnology. Recommended for industrial, automotive, and heavy duty equipment applications.



TUBE

KL-NGR4830



PAIL

KL-NGR4880



KEG

KL-NGR4885



DRUM

KL-NGR4890

ENGINEERED WITH NANOTECHNOLOGY

Price:



RED TAC EP-1

RED TAC EP-1 Grease is an advanced high performance multi-purpose formulation recommended for greasing applications of plain bearings, rolling elements, antifriction bearings, bushings and pins.



DRUM

KL-GR0290

Price:

Greases



RED TAC EP-2

RED TAC EP-2 Multipurpose Grease is an advanced high performane multi-purpose formulation recommended for greasing applications of plain bearings, rolling elements, antifriction bearings, bushings and pins.



TUBE
KL-GR0430



PAIL
KL-GR0480



KEG
KL-GR0485



DRUM
KL-GR0490

Price:



EP-00

ULTRA TAC EP-00 Lithium Complex Synthetic Blend Grease is recommended for pressurized auto grease systems, industrial bearings operating at high speed, semi trailer wheel bearings, and where ultra-low T° limits the mobility of heavier grease.



PAIL
KL-GR0880



KEG
KL-GR0885



DRUM
KL-GR0890

Price:



SYN EP-00

Synthetic ULTRA TAC EP-00 Synthetic Extreme Pressure Grease is an extreme pressure, multi-purpose, semi-fluid lithium complex formulation fortified with PAO synthetic base oil, polymers, anti-wear agents, tackiness additives, and rust and oxidation inhibitors.



KEG
KL-GR0985



DRUM
KL-GR0990

Price:



EP-0

ULTRA TAC EP-0 Lithium Complex Synthetic Blend Grease is designed for heavy duty use in industrial, on- and off-road vehicle, and heavy equipment applications operating in extreme cold T° where NLGI 0 is specified.



TUBE
KL-GR1030



PAIL
KL-GR1080



KEG
KL-GR1085



DRUM
KL-GR1090

Price:



EP-1

ULTRA TAC EP-1 Lithium Complex Synthetic Blend Grease is designed for heavy duty use in industrial, on- and off-road vehicle, and heavy equipment applications operating in extreme cold T° where NLGI 1 is specified. NLGI GC-LB certified.



TUBE
KL-GR1430



PAIL
KL-GR1480



KEG
KL-GR1485



DRUM
KL-GR1490



TOTE
KL-GR1496

Price:



Greases

HEAVY DUTY
ENGINE OILS

AUTOMOTIVE
ENGINE OILS

GEAR
LUBRICANTS

TRANSMISSION
FLUIDS

HYDRAULIC
FLUIDS

INDUSTRIAL OILS

GREASES

BIODEGRADABLE
LUBRICANTS

FOOD-GRADE
LUBRICANTS

ANTIFREEZE
CHEMICALS



EP-2

ULTRA TAC EP-2 Lithium Complex Grease is designed for extreme duty use in a wide variety of industrial, on- and off-road vehicle, and heavy equipment applications where NLGI 2 is specified.



TUBE
KL-GR1830



TUB
KL-GR1848



PAIL
KL-GR1880



KEG
KL-GR1885



DRUM
KL-GR1890



Price:



MOLY
ARCTIC

MOLY TAC EP-0 Arctic Synthetic Blend Grease uses special synthetic components and high solids content for outstanding protection and high performance in extremely cold environments.



KEG
KL-GR2285

Price:



MOLY
EP-1

MOLY TAC EP-1 Calcium Sulfonate Complex Grease is formulated with 3% molybdenum disulfide for use in heavy duty, shock loaded bearings and bushings in industrial or off-highway equipment where NLGI 1 is required.



TUBE
KL-GR2430



KEG
KL-GR2485



DRUM
KL-GR2490

Price:



MOLY
EP-2

MOLY TAC EP-2 Calcium Sulfonate Complex Grease is formulated with 3% molybdenum disulfide for use in heavy duty, shock loaded bearings and bushings in industrial or off-highway equipment where NLGI 2 is required.



TUBE
KL-GR2830



PAIL
KL-GR2880



KEG
KL-GR2885



DRUM
KL-GR2890

Price:



HD TAC
EP-1

HD TAC EP-1 Heavy Duty Calcium Sulfonate Complex Grease is an ideal grease product for heavy duty industrial applications including general manufacture, pulp and paper mills, sawmills, forestry equipment, mining equipment, agricultural equipment, and marine use.



TUBE
KL-GR3330



PAIL
KL-GR3380



KEG
KL-GR3385

Price:

HEAVY DUTY
ENGINE OILSAUTOMOTIVE
ENGINE OILSGEAR
LUBRICANTSTRANSMISSION
FLUIDSHYDRAULIC
FLUIDS

INDUSTRIAL OILS

GREASES

BIODEGRADABLE
LUBRICANTSFOOD-GRADE
LUBRICANTSANTIFREEZE
CHEMICALS

Greases



HD TAC EP-2

HD TAC EP-2 Heavy Duty Calcium Sulfonate Complex Grease is an ideal grease product for heavy duty industrial applications including general manufacture, pulp and paper mills, sawmills, forestry equipment, mining equipment, agricultural equipment, and marine use.



TUBE
KL-GR3430



PAIL
KL-GR3480



KEG
KL-GR3485



DRUM
KL-GR3490

Price:



MOLY EP-2 HD 5%

MOLY TAC HD 5% EP-2 Calcium Sulfonate Complex Grease is specifically designed for extreme duty use in off-road vehicle and heavy equipment applications.



TUBE
KL-GR3730



PAIL
KL-GR3780



KEG
KL-GR3785



DRUM
KL-GR3790

Price:



MOLY BENTONE EP-2

MOLY TAC EP-2 Bentone High Temp Grease is recommended for use in kiln car wheel bearings, furnace door bearings, heat exchange motor bearings, oven conveyors and other application where extremely high temperatures are encountered.



DRUM
KL-GR8890

Price:



OPEN GEAR GREASE

Open Gear Grease is engineered to protect extremely heavy loaded, slow moving, large open gear sets operating in severely challenging environments.



PAIL
KL-GR9080



KEG
KL-GR9085



DRUM
KL-GR9090

Price:



OPEN GEAR LUBRICANT

Open Gear Lubricant is specially formulated to protect heavily loaded, slow moving, large open gear sets when used with spray type application system.



PAIL
KL-GR9280



KEG
KL-GR9285



DRUM
KL-GR9290

Price:

HEAVY DUTY ENGINE OILS

AUTOMOTIVE ENGINE OILS

GEAR LUBRICANTS

TRANSMISSION FLUIDS

HYDRAULIC FLUIDS

INDUSTRIAL OILS

GREASES

BIODEGRADABLE LUBRICANTS

FOOD-GRADE LUBRICANTS

ANTIFREEZE CHEMICALS



KL-GR8080

HD HAMMER



KL-GR9630

DRILL ROD



KL-GR9880

Price:



The KLONDIKE family of **biodegradable lubricants** are designed as an environmentally safer alternative to traditional industrial lubricants. With the rise in natural resource based industries being encouraged to monitor the impact and sustainability of the work completed in environmentally sensitive areas, the need for more environmentally safe and efficient products has increased. Our line of biodegradable lubricants are formulated using non-toxic chemistry with no heavy metals to contaminate water or soil, which will greatly reduce the immediate and long-term impact of the fluids on the environment in the event of an oil leak or spill. The KLONDIKE line of biodegradable lubricants are highly stable for smooth operational efficiency, and highly resistant to oxidation and deposit formation for long service life, while providing a high level of environmental conservation and protection.

Biodegradable Lubricants



= Conventional



= Synthetic Blend



= Full Synthetic



ENVIRO 22

ENVIRO AW 22 Advanced Formula Hydraulic Fluid is inherently biodegradable, non-toxic, environmentally friendly, with high dielectric strength. This fluid is recommended for vane, piston, or gear-type hydraulic pumps in heavy duty and industrial service where ISO 22 viscosity is specified.



PAIL
KL-BL0180



DRUM
KL-BL0190



TOTE
KL-BL0195

Price:



ENVIRO 32

ENVIRO AW 32 Advanced Formula Hydraulic Fluid is inherently biodegradable, non-toxic, environmentally friendly, with high dielectric strength. This fluid is recommended for vane, piston, or gear-type hydraulic pumps in heavy duty and industrial service where ISO 32 viscosity is specified.



PAIL
KL-BL0280



DRUM
KL-BL0290



TOTE
KL-BL0295

Price:



ENVIRO 46

ENVIRO AW 46 Advanced Formula Hydraulic Fluid is inherently biodegradable, non-toxic, environmentally friendly, with high dielectric strength. This fluid is recommended for vane, piston, or gear-type hydraulic pumps in heavy duty and industrial service where ISO 46 viscosity is specified.



PAIL
KL-BL0380



DRUM
KL-BL0390



TOTE
KL-BL0395



BULK
KL-BL0399

Price:



ENVIRO 68

ENVIRO AW 68 Advanced Formula Hydraulic Fluid is inherently biodegradable, non-toxic, environmentally friendly, with high dielectric strength. This fluid is recommended for vane, piston, or gear-type hydraulic pumps in heavy duty and industrial service where ISO 68 viscosity is specified.



PAIL
KL-BL0480



DRUM
KL-BL0490

Price:

HEAVY DUTY
ENGINE OILS

AUTOMOTIVE
ENGINE OILS

GEAR
LUBRICANTS

TRANSMISSION
FLUIDS

HYDRAULIC
FLUIDS

INDUSTRIAL OILS

GREASES

BIODEGRADABLE
LUBRICANTS

FOOD-GRADE
LUBRICANTS

ANTIFREEZE
CHEMICALS

HEAVY DUTY
ENGINE OILSAUTOMOTIVE
ENGINE OILSGEAR
LUBRICANTSTRANSMISSION
FLUIDSHYDRAULIC
FLUIDS

INDUSTRIAL OILS

GREASES

BIODEGRADABLE
LUBRICANTSFOOD-GRADE
LUBRICANTSANTIFREEZE
CHEMICALS

Biodegradable Lubricants



ENVIRO MV 32

ENVIRO MV AW 32 Advanced Formula Hydraulic Fluid is a high viscosity index, zinc free, inherently biodegradable, environmentally friendly, long life hydraulic fluid designed for high performance applications in mobile and stationary equipment where ISO 32 viscosity is specified.



PAIL
KL-BL1080



DRUM
KL-BL1090



TOTE
KL-BL1095

Price: _____



ENVIRO MV 46

ENVIRO MV AW 46 Advanced Formula Hydraulic Fluid is a high viscosity index, zinc free, inherently biodegradable, environmentally friendly, long life hydraulic fluid designed for high performance applications in mobile and stationary equipment where ISO 46 viscosity is specified.



PAIL
KL-BL1180



DRUM
KL-BL1190



TOTE
KL-BL1195

Price: _____



BIO AW 32

BIO AW 32 Advanced Formula Hydraulic Fluid is a readily biodegradable, vegetable based, non-toxic, ashless fluid designed for high performance hydraulic systems in mobile and stationary equipment where ISO 32 viscosity is specified.



PAIL
KL-BL1880



DRUM
KL-BL1890



TOTE
KL-BL1895

Price: _____



BIO AW 46

BIO AW 46 Advanced Formula Hydraulic Fluid is a readily biodegradable, vegetable based, non-toxic, ashless fluid designed for high performance hydraulic systems in mobile and stationary equipment where ISO 46 viscosity is specified.



PAIL
KL-BL1980



DRUM
KL-BL1990



TOTE
KL-BL1995

Price: _____



BIO AW 46

BIO AW 46 Synthetic Blend Hydraulic Fluid is a readily biodegradable, non-toxic, high performance hydraulic oil designed for maximum performance and system protection in industrial and mobile hydraulic equipment.



PAIL
KL-BL2780

Price: _____

Biodegradable Lubricants

HEAVY DUTY ENGINE OILS	AUTOMOTIVE ENGINE OILS	GEAR LUBRICANTS	TRANSMISSION FLUIDS	HYDRAULIC FLUIDS	INDUSTRIAL OILS	GREASES	BIODEGRADABLE LUBRICANTS	FOOD-GRADE LUBRICANTS	ANTIFREEZE CHEMICALS
---------------------------	---------------------------	--------------------	------------------------	---------------------	-----------------	---------	-----------------------------	--------------------------	-------------------------



BIO EAL 32

BIO Synthetic EAL 32 Hydraulic Fluid uses premium bio-synthetic components for full compliance with environmentally acceptable lubricants requirements (EAL) and offers maximum performance and system protection in industrial and mobile hydraulic equipment operating in environmentally sensitive areas.



PAIL
KL-BL3280



DRUM
KL-BL3290

Price:



BIO EAL 46

BIO Synthetic EAL 46 Hydraulic Fluid uses premium bio-synthetic components for full compliance with environmentally acceptable lubricants requirements (EAL) and offers maximum performance and system protection in industrial and mobile hydraulic equipment operating in environmentally sensitive areas.



PAIL
KL-BL3480



DRUM
KL-BL3490



TOTE
KL-BL3495

Price:



BIO HFDU 46

BIO HFDU Full Synthetic Hydraulic Fluid is a very high flash point formulation and is designed for maximum performance and system protection in industrial and mobile hydraulic equipment operating in extreme conditions and where fire risk is high.



PAIL
KL-BL3380



DRUM
KL-BL3390

Price:



BIO 100
ROCKDRILL

BIO AW 100 Advanced Formula Rock Drill Oil is a readily biodegradable, extreme pressure lubricant designed for the performance and protection of heavy duty pneumatic tools such as rock drills, breakers, jackhammers, and drifters as well as other surface and down-hole equipment.



PAIL
KL-BL4380

Price:




BIO 150
ROCKDRILL

BIO AW 150 Advanced Formula Rock Drill Oil is a readily biodegradable, extreme pressure lubricant designed for the performance and protection of heavy duty pneumatic tools such as rock drills, breakers, jackhammers, and drifters as well as other surface and down-hole equipment.



PAIL
KL-BL4480

Price:



KLONDIKE **FOOD-GRADE Lubricants** are registered with NSF for use in the food industry and carry the H1 credentials for incidental food contact. The NSF mark confirms that these products meet all standard requirements and demonstrates KLONDIKE's commitment to quality, compliance and safety.

KLONDIKE FOOD-GRADE AW Hydraulic Fluids and EP-2 Grease are designed specifically for use in food processing equipment. These high-quality food grade fluids and greases provide maximum food safety and provide excellent protection against wear, ensuring long service life in the most demanding operating conditions.

FOOD-GRADE Lubricants



= Conventional



= Synthetic Blend



= Full Synthetic



FG 32

FOOD-GRADE AW 32 Hydraulic Fluid is NSF H1 registered for incidental food contact. Recommended for industrial and mobile hydraulic equipment used in food processing equipment.



PAIL
KL-FG2280



DRUM
KL-FG2290

Price: _____



FG 46

FOOD-GRADE AW 46 Hydraulic Fluid is NSF H1 registered for incidental food contact. Recommended for industrial and mobile hydraulic equipment used in food processing equipment.



PAIL
KL-FG2480



DRUM
KL-FG2490

Price: _____



FG EP-2

FOOD-GRADE EP-2 Grease is a specially formulated NSF H1 registered product for use in production facilities where incidental food contact may occur.



TUBE
KL-FG7030



KEG
KL-FG7085

Price: _____

HEAVY DUTY
ENGINE OILS

AUTOMOTIVE
ENGINE OILS

GEAR
LUBRICANTS

TRANSMISSION
FLUIDS

HYDRAULIC
FLUIDS

INDUSTRIAL OILS

GREASES

BIODEGRADABLE
LUBRICANTS

FOOD-GRADE
LUBRICANTS

ANTIFREEZE
CHEMICALS

FOOD-GRADE Lubricants

HEAVY DUTY
ENGINE OILS

AUTOMOTIVE
ENGINE OILS

GEAR
LUBRICANTS

TRANSMISSION
FLUIDS

HYDRAULIC
FLUIDS


INDUSTRIAL OILS

GREASES

BIODEGRADABLE
LUBRICANTS

FOOD-GRADE
LUBRICANTS

ANTIFREEZE
CHEMICALS



The KLONDIKE product category of **chemicals** is designed to maximize productivity while also offering superior user benefits.

KLONDIKE Rust Blast is a professional strength, fast acting, penetrating lubricant. Powerful penetrating action blasts through rust and corrosion to loosen and lubricate stuck parts.

KLONDIKE Grease Blast is a truly versatile and certified biodegradable all-in-one degreaser. Simply alter the dilutions and it becomes a muscled water based engine degreaser, white wall tire cleaner, vinyl top cleaner, leather, plastic and vinyl cleaner, and a concrete floor degreaser.

KLONDIKE Brake Blast is an advanced formulation of highly technical solvents that once applied will quickly dissolve and remove grease, oil, brake fluid, road grime, and dirt. This non-chlorinated, low odor formula dries fast, leaves no residue, and is safe for use on most materials including plastics.

Antifreeze/Chemicals



= Conventional



= Synthetic Blend



= Full Synthetic



DOT 3

DOT 3 Synthetic Brake Fluid is used in disc, drum, ABS brake systems, and hydraulic clutches of motor vehicles requiring DOT 3 fluid.



500 mL BOTTLE
KL-CH1034



1 L BOTTLE
KL-CH1040



EZE-BOX
KL-CH1082

Price:



DOT 4

DOT 4 High Performance Synthetic Brake Fluid is used in disc, drum, ABS brake systems, and hydraulic clutches of motor vehicles requiring DOT 4 fluid.



500 mL BOTTLE
KL-CH1234



1 L BOTTLE
KL-CH1240

Price:



UNIVERSAL
DOT 5.1

Universal Very High Performance DOT 5.1 Synthetic Brake Fluid is used in disc, drum, ABS brake systems, and hydraulic clutches of motor vehicles requiring Universal DOT 5.1, DOT 4, or DOT 3 fluid.



500 mL BOTTLE
KL-CH1434



1 L BOTTLE
KL-CH1440

Price:



PSF

Power Steering Fluid is used as a top off or complete replacement fluid for most domestic and import vehicles using mineral base oil with rack and pinion design.



QUART
KL-CH2040

Price:

Antifreeze/Chemicals



RUST BLAST

Rust Blast Penetrating Lubricant is a professional strength, fast acting, penetrating lubricant. Powerful foaming action blasts through rust and corrosion to loosen and lubricate stuck parts.



AEROSOL
KL-CH4030

Price:



SPRAY GREASE

nano Spray Grease is formulated with a superior lithium grease base and proprietary nanotechnology to lubricate and protect machinery, parts, and surfaces against friction, oxidation, corrosion, and wear. Resists degradation from heat, water washout and mechanical stress.



AEROSOL
KL-CH4130

Price:

ENGINEERED
WITH NANOTECHNOLOGY



CHAIN LUBRICANT

nano Chain & Cable Lubricant penetrates, lubricates and protects roller chains, cables, and wire rope. Optimized formulation incorporates proprietary nanotechnology for unmatched antiwear and extreme pressure protection on lubricated parts and surfaces.



AEROSOL
KL-CH4230

Price:

ENGINEERED
WITH NANOTECHNOLOGY



GREASE BLAST

Grease Blast Cleaner/Degreaser is a versatile, non-flammable, power-packed, highly effective degreaser for professional use. Certified biodegradable.



JUG
KL-CH6550



PAIL
KL-CH6580



DRUM
KL-CH6590

Price:



BRAKE BLAST

Brake Blast Brake Parts Cleaner is a non-chlorinated solvent designed to remove contaminants from brake parts quickly and easily. Surfaces dry residue free for improved, smooth brake performance.



AEROSOL
KL-CH8630



PAIL
KL-CH8680



DRUM
KL-CH8690

Price:

*Available in select markets only

Antifreeze/Chemicals

HEAVY DUTY
ENGINE OILS

AUTOMOTIVE
ENGINE OILS

GEAR
LUBRICANTS

TRANSMISSION
FLUIDS

HYDRAULIC
FLUIDS

INDUSTRIAL OILS

GREASES

BIODEGRADABLE
LUBRICANTS

FOOD-GRADE
LUBRICANTS

ANTIFREEZE
CHEMICALS



BRAKE BLAST
LOW VOC
Price:

Ultra Low VOC Brake Blast Brake Parts Cleaner is a non-chlorinated solvent designed to remove contaminants from brake parts quickly and easily. Surfaces dry residue free for improved, smooth brake performance.



GREEN UNIVERSAL
CONCENTRATE
Price:

Green Universal Antifreeze/Coolant – Concentrate is a low silicate, multi-purpose coolant, designed for automotive engines and heavy-duty diesel engines where low silicate formula with the addition of SCA's is preferred.



GREEN UNIVERSAL
50/50
Price:

Green Universal Antifreeze/Coolant – 50/50 Ready to Use is a low silicate, multi-purpose coolant, designed for automotive engines and heavy-duty diesel engines where low silicate formula with the addition of SCA's is preferred.



YELLOW AUTOMOTIVE OAT ELC
CONCENTRATE
Price:

Yellow Automotive OAT ELC Antifreeze/Coolant – Concentrate is an advanced, multi-purpose, extended life coolant designed for automotive and light duty truck engine applications requiring OAT based extended life coolant.



YELLOW AUTOMOTIVE OAT ELC
50/50
Price:

Yellow Automotive OAT ELC Antifreeze/Coolant – 50/50 Ready to Use is an advanced, multi-purpose, extended life coolant designed for automotive and light duty truck engine applications requiring OAT based extended life coolant.



Antifreeze/Chemicals



RED HEAVY DUTY NOAT ELC

CONCENTRATE

Red Heavy Duty NOAT ELC Antifreeze/Coolant – Concentrate is an advanced, multipurpose, nitrite containing, extended life coolant primarily designed for use in heavy duty diesel engines demanding extended life performance.

3.78 L JUG
KL-CH9250DRUM
KL-CH9290

Price:



RED HEAVY DUTY NOAT ELC

RTU

Red Heavy Duty NOAT ELC Antifreeze/Coolant – Ready to Use is an advanced, multipurpose, nitrite containing, extended life coolant primarily designed for use in heavy duty diesel engines demanding extended life performance.

3.78 L JUG
KL-CH9350DRUM
KL-CH9390TOTE
KL-CH9395

Price:



GOLD ALL ENGINES NF OAT ELC

CONCENTRATE

Gold All Engines NF OAT ELC Antifreeze/Coolant – Concentrate is a highly advanced, multi-purpose, nitrite free, extended life coolant designed for All heavy and light duty engine applications regardless of year, make, model, or original antifreeze color.

3.78 L JUG
KL-CH9450DRUM
KL-CH9490

Price:



GOLD ALL ENGINES NF OAT ELC

50/50

Gold All Engines NF OAT ELC Antifreeze/Coolant – 50/50 Ready to Use is a highly advanced, multi-purpose, nitrite free, extended life coolant designed for All heavy and light duty engine applications regardless of year, make, model, or original antifreeze color.

3.78 L JUG
KL-CH9550DRUM
KL-CH9590TOTE
KL-CH9595

Price:



RED HD FLEET ELC

50/50

Red HD Fleet Professional ELC Antifreeze/Coolant - 50/50 Ready to Use is an advanced, ethylene glycol based, extended life coolant primarily designed for use in heavy duty diesel engines demanding extended life performance.

3.78 L JUG
KL-CH9750DRUM
KL-CH9790TOTE
KL-CH9795

Price:

Accessories

HEAVY DUTY ENGINE OILS	AUTOMOTIVE ENGINE OILS	GEAR LUBRICANTS	TRANSMISSION FLUIDS	HYDRAULIC FLUIDS	INDUSTRIAL OILS	GREASES	BIODEGRADABLE LUBRICANTS	FOOD-GRADE LUBRICANTS	ANTIFREEZE CHEMICALS
---------------------------	---------------------------	--------------------	------------------------	---------------------	-----------------	---------	-----------------------------	--------------------------	-------------------------



DISPENSING JUG

Oil dispensing jug can be used with KLONDIKE's EZE-BOX and EZE-KEG systems.

6 L
KL-EZEJUG



EZE-BOX DISPENSING RACK

EZE-BOX is a 22 L oil box with an easy-to-pour valve. EZE-BOX bag-in-box oil system allows for maximum efficiency when used with EZE-BOX dispensing rack.

EZE-BOX Dispensing Rack
KL-EZERACK



RACK SIGN

Rack sign can be used with EZE-BOX and EZE-KEG racks.

Dispensing Rack Sign
KL-EZESIGN



EZE-KEG DISPENSING RACK

EZE-KEG is a new 52L keg which allows for cost savings from EHC fees.

EZE-KEG Dispensing Rack
KL-EZEKEGR



2" SPIGOT

2" Spigot can be used with KLONDIKE's EZE-KEG system.

2 Inch Large Spigot
KL-SPIGOT-LG



3/4" SPIGOT

3/4" Spigot can be used with KLONDIKE's EZE-BOX system.

3/4 Inch Plastic Spigot
KL-SPIGOT

Warranty

KLONDIKE Lubricants Corporation Warranty

KLONDIKE Lubricants Corporation warrants that at the time of sale, all lubricant, grease, and engine coolant products bearing the KLONDIKE brand meet their written product specifications and are free of defective materials, design, and workmanship.

The KLONDIKE warranty is in addition to, and does not invalidate, any warranty supplied by an original equipment manufacturer when used in accordance with the KLONDIKE written product recommendations and the original equipment manufacturers' written specifications**.

KLONDIKE is 100% committed to our customers. To support this commitment, KLONDIKE Lubricants Corporation will repair or replace equipment parts that have been damaged as a direct result of the failure of any of our products.**

***For specific warranty details and procedures, contact KLONDIKE Lubricants Corporation at info@klondikelubricants.com.*

*** TRADEMARKS DISCLAIMER: All OEM product names and trademarks are the property of their respective owners, which are in no way associated or affiliated with KLONDIKE Lubricants Corporation.**


Comparison Chart

KLONDIKE Cross-Reference Table
































KLONDIKE®	Shell	Chevron	Petro Canada	Esso/Mobil	Conoco-Phillips	Castrol	Total
10W-30 CK-4 Advanced Syn Blend HD Engine Oil	Rotella T4 Triple Protection	DELO 400 XLE 10W-30	DURON SHP 10W-30	DELVAC HDEO 10W-30	GUARDOL Fleet EC GUARDOL ECT	VECTON Long Drain	RUBIA OPTIMA 1300 FE
15W-40 CK-4 Advanced Syn Blend HD Engine Oil	Rotella T4 Triple Protection	DELO 400 XLE SB 15W-40	DURON SHP 15W-40	DELVAC HDEO 15W-40	GUARDOL Fleet EC GUARDOL ECT	VECTON	RUBIA OPTIMA 1300
5W-40 CK-4 Full Synthetic HD Engine Oil	Rotella T6	DELO 400 XSP 5W-40	DURON UHP 5W-40	DELVAC 1 ESP 5W-40	GUARDOL XT Full Synthetic	VECTON Full Synthetic	RUBIA OPTIMA 1500
0W-20 Euro C5 Full Synthetic	Pennzoil Platinum Euro JL Pennzoil Platinum Euro B	N/A	N/A	Mobil 1 ESP X2 0W-20	N/A	EDGE LL-17 FE+, EDGE Professional V	QUARTZ INEO XTRA FDE
5W-30 Euro Low SAPS Full Synthetic	Pennzoil Platinum Euro LX	N/A	N/A	Mobil 1 ESP 5W-30	SHIELD EURO-TECH +	EDGE Professional Long Life III, EDGE 5W-30 K	QUARTZ INEO LONG LIFE
5W-30 Euro Mid SAPS Full Synthetic	Pennzoil Platinum Euro L	N/A	N/A	Mobil 1	SHIELD EURO-TECH	EDGE C3, EDGE Professional LL04	QUARTZ INEO MC3
0W-20 dexos1® Full Synthetic	Pennzoil Platinum dexos1® Pennzoil Professional MS dexos1® Quaker State Full Syn dexos1®	Havoline ProDS dexos1® Havoline Lifelong ProDS dexos1® Havoline Syn Technology dexos1®	SUPREME SB-D, SUPREME Synthetic	Mobil 1 dexos1®, Mobil 1 Extended Perf, Mobil Full Synthetic, Mobil Super Synthetic, Mobil Super 3000 D1	Engine Guard dexos1®, Kendall GT-1 Full Syn, Phillips 66 Shield Valor, Professional Series	EDGE dexos1®, EDGE Extended Performance dexos1®, GTX Full Synthetic dexos1®, GTX Magnatec dexos1®	Quartz 7000 Future FGC dexos1®, Quartz 9000 Xtra Future FGC dexos1®
5W-30 dexos1® Full Synthetic	Pennzoil Platinum dexos1® Pennzoil Professional MS dexos1® Quaker State Full Syn dexos1®	Havoline ProDS dexos1® Havoline Lifelong ProDS dexos1® Havoline Syn Technology dexos1®	SUPREME SB-D, SUPREME Synthetic	Mobil 1 dexos1®, Mobil 1 Extended Perf, Mobil Full Synthetic, Mobil Super Synthetic, Mobil Super 3000 D1	Engine Guard dexos1®, Kendall GT-1 Full Syn, Phillips 66 Shield Valor, Professional Series	EDGE dexos1®, EDGE Extended Performance dexos1®, GTX Full Synthetic dexos1®, GTX Magnatec dexos1®	Quartz 7000 Future FGC dexos1®, Quartz 9000 Future FGC dexos1®
HD SYN DRIVE Full Synthetic	Spirax S6 ATF A668	DELO SYN ATF 668	DuraDrive HD 668	DELVAC 1 ATF 668	TRITON 668	TranSynd 668	FLUIDMATIC SYN T668
ATF Universal Full Synthetic	Pennzoil Platinum LV	Havoline Full Synthetic Multi Vehicle ATF	DuraDrive LV Synthetic ATF	Mobil 1 Synthetic LV HP ATF Mobil 1 Multi-Vehicle ATF	VERSATRANS LV	Transmax LV Multivehicle	FLUIDMATIC MV LV
All Season Synthetic Transmission/Drive Train Fluid TDTO-4	Spirax S6 CXME 5W-30	TORQ FORCE SYN	PRODURO TO-4 SYN All Season	DELVAC Modern All Season 30	POWERDRIVE Synthetic All Season	Trans-C HT	DYNATRANS ACX 5W-30
All Season Syn Blend TDTO-4	Spirax S6 CXME 10W-40	TORQ FORCE MP	PRODURO TO-4 UHP	DELVAC Modern All Season 40	N/A	N/A	N/A
Arctic Full Synthetic TDTO-4	Spirax S6 CXM AT		PRODURO XL Low Temp	DELVAC Modern All Season 20	POWERDRIVE Synthetic Arctic	N/A	DYNATRANS ACX 0W-20
Universal Tractor Fluid Full Synthetic	N/A	DELO SYN-THF	DURATRAN Synthetic	HYDRAUL 50	N/A	N/A	DYNATRANS VX FE
XVI All Season	N/A	RANDO HD Premium MV	HYDREX XV	N/A	N/A	N/A	N/A
ENVIRO AW Inherently Biodegradable Hydraulic Fluids	Tellus S3 M	Clarity Hydraulic AW	ENVIRON AW	DTE Excel	POWERFLOW NZ	Hyspin ZZ Range	AZOLLA AF
BIO Synthetic EAL hydraulic fluids	Naturelle Fluid HF-E	Clarity BIO ELITESYN AW	ENVIRON MV R	Mobil EAL Envirosyn H	N/A	BioBar Range	BIOHYDRAN SE, BIOHYDRAN TMP
BIO AW Readily Biodegradable Hydraulic Fluids	Naturelle Fluid HF-M	N/A	N/A	Mobil EAL 224H	N/A	Performance Bio HE	BIOHYDRAN RS
Hi-Tack Bar and Chain Oil ISO 90 – Winter	N/A	Red Chain Bar 100	DURATAC Chain 100	Chain Oil Light	Special Bar Chain 68	N/A	N/A
Hi-Tack Bar and Chain Oil ISO 150 – All Season	N/A	Red Chain Bar 150	DURATAC Chain 150	Chain Oil Heavy	Special Bar Chain 150	N/A	Prosylva Chain Expert
Hi-Tack Bar and Chain Oil ISO 220 – Summer	N/A	Red Chain Bar 220	N/A	N/A	Special Bar Chain 220	N/A	Prosylva Chain Extrem
BIO Rockdrill ISO 100 & 150	N/A	N/A	N/A	N/A	N/A	Bio RDC	N/A
nano Full Synthetic EP-1.5	N/A	N/A	GUARDOL XT	N/A	N/A	N/A	N/A
nano Calcium Sulfonate EP-1	N/A	N/A	N/A	N/A	N/A	N/A	N/A
nano Calcium Sulfonate EP-2	N/A	N/A	N/A	N/A	N/A	N/A	N/A
MOLY TAC HD 5% EP-2 Calcium Sulfonate Complex	Gadus S3 V460 XD	Rykon HD M5, Starplex HD M5	Precision XL 5 Moly	XHP Mine Series	Megaplex XD5 Omniguard XD5	N/A	Multi Complex XHV Moly
Gold All Engines NF OAT ELC Antifreeze	Rotella Ultra ELC	DELO ELC Nitrite Free	N/A	DELVAC ELC	GUARDOL HD	RADICOOOL SF-O	N/A
75W-90 GL-5 Full Synthetic Gear Oil	Pennzoil Platinum Gear Quaker State Full Synthetic Spirax S6 ADME Spirax S6 AXRME	DELO Gear Extreme EP-5 DELO Syn-Gear HD DELO Syn-Gear XDM Havoline Full Synthetic LS Gear	TRAXON Synthetic TRAXON E Synthetic	Mobil 1 Synthetic Gear DELVAC 1 Gear Oil	TRITON Syngear FE TRITON Syngear LDO	Syntrax Limited Slip	TRAXIUM DUAL 9 FE
80W-90 GL-5 Gear Oil	Spirax S3 AX	Delo Gear ES1, Delo Gear EP-5	TRAXON	Mobilube HD Plus	MP Gear Lube	Syntrax Universal	TRAXIUM AXLE 7

Viscosity Grades

KLONDIKE Viscosity Grade Chart



KLONDIKE Greases Comparison Chart

KLONDIKE GREASE		PRODUCT	GREASE BASE	PRICE	USE	APPLICATION
	Good	RED TAC Multipurpose	Calcium Sulfonate	\$	  	General industrial, agriculture, off road equipment
	Better	HD TAC Heavy Duty	Calcium Sulfonate	\$\$	   	Heavy duty, industrial, off road equipment, agriculture
	Better	MOLY TAC	Calcium Sulfonate	\$\$	  	Heavy duty, off road equipment, agriculture - where moly is required
	Best	ULTRA TAC	Lithium Complex	\$\$	  	General industrial, automotive, trucking where NLGI GC-LB rating is required
	Best	MOLY TAC HD 5%	Calcium Sulfonate	\$\$\$	  	Heavy duty, off road equipment, agriculture - where high moly content is required
	Ultimate	nano CaS	Calcium Sulfonate	\$\$\$	    	Automotive, trucking, heavy duty, industrial, off road equipment, agriculture for ultimate protection and performance
	Ultimate	nano LiX, Synthetic	Lithium Complex	\$\$\$\$	  	Automotive, heavy duty, industrial, off road equipment, agriculture for ultimate protection and performance in extreme temperatures

KLONDIKE Facilities

Dedicated to meeting the delivery needs of our customers, we have distribution and office facilities that are strategically located throughout Canada and the USA to cater to the time-sensitive nature of your industry.

BRITISH COLUMBIA

Serving BC

780 Derwent Way
Delta, BC V3M 5P8

Head Office

A330, 20161 86th Avenue
Langley, BC V2Y 2C1

ALBERTA

Serving Northern BC, AB, SK, MB, YT and NT

15703 114th Avenue NW
Edmonton, AB T5M 2Z3

ONTARIO

Serving ON and North Eastern USA

3925 Steeles Ave, Unit 1 East
Brampton, ON L6T 5W5

QUEBEC

Serving QC, NL and North Eastern USA

555 Lee Ave
Baie-D'Urfe, QC H9X 3S3

Office

390 Notre-Dame Street West
Montreal, QC H2Y 1T9

NEW BRUNSWICK

Serving the Atlantic Provinces

350 English Dr
Moncton, NB E1E 3Y9


SALT LAKE CITY

Serving Western USA

2850 S 900 West
Salt Lake City, UT 84119

US Regional Office

107 N Ridgewood Drive
Post Falls, ID 83854



Spring/Summer 2025

KLONDIKE Lubricants Corporation

1-877-293-4691 • info@klondikelubricants.com • www.klondikelubricants.com



BRAVING THE FORCE OF MOVEMENT®